



Substance Use Disorder Co-Care Training

Day 3 – Initiating Treatment for Patients with SUDs

Tuesday, July 25, 2023, 8:00 am to 12:00 noon



Session 3 - Initiating Treatment for Substance Use Disorders

Richard L. Brown, MD, MPH



Today's Presenter

Retired Full Professor with Tenure, Department of Family Medicine and Community Health,
University of Wisconsin, Madison, Wisconsin

Retired Senior Medical Director for Population Health Management, ConcertoHealth,
Kalamazoo, Michigan, and Seattle, Washington

AGENDA

1

Review / Q&A

2

Practice, practice, practice!

Referral to Treatment - A Blended FERNSS/MI Approach

OPENING

- Introduce the session
- Engage with the patient around substance use

FEEDBACK AND EDUCATION ON PATIENT'S CATEGORY OF USE

- Ask permission to give feedback on the patient's responses to screening and/or brief assessment questions
- Identify patients' category of use
- Give feedback based on the patient's category of use
- Elicit the patient's response

RECOMMENDATION

- Ask permission to make a recommendation
- Give the recommendation and emphasize patient autonomy
- Elicit the patient's response

NEGOTIATE - promote maximal change

- Explore for and reinforce change talk on importance

- Explore for and reinforce change talk on confidence
- Summarize with emphasis on change talk
- Ask a key question
- If patient declines treatment:
 - Ask permission to describe alternatives
 - Describe pharmacotx, support groups, change plans
 - Explore for & reinforce change talk, summarize, ask a key question
 - Support the patient's decision

SECURE A CONCRETE AGREEMENT

- Help set a plan, if appropriate
- Offer and **SET FOLLOW-UP**

CLOSE

- Briefly summarize
- End on a positive note

OPENING

1. Introductions

- Your preferred name
- Your position
- Purpose of the session
- Anticipated duration
- Confidentiality rules
- Patient autonomy
- Patient's preferred name
- Permission to proceed



OPENING

2. Engage around substance use

- Ask at least one open question about substance use
Example: *Before we talk about those forms you filled out, would you please talk a bit about how alcohol and drugs fit in your life?*
- Reflect
- Repeat ad lib




3. Ask permission to give feedback on responses

Example:

Would it be OK if I gave you some feedback on the possible meaning of your responses to those questions on alcohol and drugs?



4. Accurately identify the patient’s category of use



ADULTS

Risk Category	Score		Management
	AUDIT	DAST	
Abstinence/ Low-risk use	0 to 6 - female 0 to 7 - male	0	Reinforcement
High-risk use	7 to 15 - female 8 to 15 - male	1 to 2	Brief intervention
Problem use	16 to 19	3 to 5	Brief intervention
Likely dependent	20 to 40	6 to 10	Referral

TEENS

CRAFFT Results		Category	Management
Part A	Part B		
Negative	—	Abstinence	Reinforcement
Positive	0	High-risk use	Brief intervention
	1		
	2	Problem use	
	3		
	4	Likely dependence	Referral to treatment
	5		
	6		

5. Give appropriate feedback on the patient's category of use



*Your lack of drinking and drug use puts you in the category of **abstinence** - a healthy and safe category.*

*Your moderate drinking and your lack of drug use put you in the category of **low-risk use** - a healthy and safe category.*

*Your drinking and/or drug use put(s) you in the category of **high-risk use**. This suggests that you're not suffering negative health or other consequences of drinking and drug use, but you're likely to suffer consequences in the future unless you quit or cut down.*

*Your drinking and/or drug use puts you in the category of **problem use**. This suggests that your drinking and/or drug use is causing negative health or other consequences in your life, and the consequences will probably continue or get worse unless you quit or cut down. This doesn't mean you have a problem. It means that your drinking and/or drug use is causing you problems in your life.*

5. Give appropriate feedback on the patient's category of use



*Your responses suggest that you are in the category called **dependence**. This means that your drinking and/or drug use is causing significant negative health and other consequences in your life, and the consequences will probably continue or get worse unless you quit or cut down. It also means that it might be difficult for you to quit or cut down without help. Go on to Step 6.*

Optional: *It's nobody's fault that they become dependent. Other than drinking or using drugs, the strongest risk factor is genetics, which nobody can control. Dependence happens when a part of the brain that makes people feel pleasure and want to eat and have sex is hijacked by alcohol and/or drugs so it drives people's drinking and/or drug use.*

6. Elicit response to the feedback

Example:

What do you make of that?

What do you think about that?



RECOMMENDATION

7. Ask permission to make a recommendation

Example:

*Would it be OK if I make
a recommendation?*



RECOMMENDATION

8. Make an appropriate recommendation

	Initial Recommendations	Alternative Recommendations
Abstinence or Low-Risk Use	<ul style="list-style-type: none">• Continue current pattern of use	
High-Risk Use or Problem Use	<ul style="list-style-type: none">• Cut down to low-risk drinking levels• Quit drug use	<ul style="list-style-type: none">• Cut down somewhat on drinking• Cut down somewhat on drug use
Dependence	<ul style="list-style-type: none">• Seek treatment or see a specialist for an assessment	<ul style="list-style-type: none">• Consider medication for an alcohol or opioid use disorder• Try at least 3 to 5 mutual support meetings• Try working with me using change plans

9. Emphasize autonomy

Example:

- *Of course, the decision will be completely up to you. The best recommendation would be ...*
- *The best recommendation would be ... Of course, the decision is completely up to you.*




RECOMMENDATION

10. Elicit the patient's response to your recommendation

Example:

- *What do you think about that?*
- *How does that sit with you?*



11. Explore for and reinforce change talk on importance

Example:

- *What are some downsides or fears you have about going for treatment?*
- *What would be some advantages of getting treatment?*
- *What would be the worst things that could happen if you don't get help?*
- *Could we go back to your responses to the questionnaires? I'm curious what was behind your response to question #___. Would you please tell me more about that?*

Reflect change talk and ask open questions to get more change talk!

Incorporate "feeling words" into your reflections to deepen change talk!

12. Explore for and reinforce change talk on confidence

Example:

- *What difficult things have you accomplished in the past?*
- *What strengths do you have that would help you get yourself to a specialist?*
- *What could help you overcome barriers to seeing a specialist or getting treatment?*

Reflect change talk and ask open questions to get more change talk!

Incorporate “feeling words” into your reflections to deepen change talk!

13. Summarize and ask a key question

Example:

So on one hand you enjoy drinking with your buddies at the bar. On the other hand, you're tired of the hangovers. A DWI cost you lots of money and your job. As a result, you're living in your brother's shed, which you can't stand, and you're finding that nobody will hire you. You feel something has to change.

Where does this leave you?

Summary
with strong
emphasis on
change talk

Key question

14. Support the patient's decision

- Reflect back what the patient decided
- Show positivity, hope, and no judgment

Examples:

- *You've decided to see a specialist at the XYZ treatment program and see what they recommend.*
- *You've decided that seeing a specialist at a treatment program is out of the question for now.*

AGENDA

1	Referral to treatment - overview
2	Referral to treatment - steps
3	Managing patients who do not obtain treatment
4	Rubric for initiating treatment
5	Initiating treatment - practice and feedback

15. Ask permission to describe alternatives

Would you be interested in hearing about other options for helping yourself besides going to a treatment program?



NEGOTIATION - IF THE PATIENT DECLINES TREATMENT

16. Educate the patient about alternatives

- Pharmacotherapy
 - Alcohol: 4 medications
 - Opioids: 3 medications
- Twelve-step programs or SMART Recovery
- Work with you using change plans

A plan with up to ten parts that you'll design with my guidance to give you the best chance of succeeding at quitting or cutting down, whichever you choose



Change Plan

<input type="checkbox"/>	_____
<input type="checkbox"/>	_____
<input type="checkbox"/>	_____
<input type="checkbox"/>	_____

17. Explores for and reinforces change talk, summarizes, and asks a key question

Open questions followed by reflections

- Which option(s) seem best to you?
- What do you like about it/them?
- What would be the advantages of getting this kind of help?
- What would be the worst things that could happen if you get no help at all?

Summarize emphasizing change talk

Ask a key question:

- Where does this leave you?
- What are you thinking at this point?



SECURE A CONCRETE AGREEMENT

18. Help set a plan, if appropriate

- Go to a treatment program for an assessment
 - Which treatment program? (Patients may need your help)
 - By when would you like to promise yourself that you'll call for an appointment?
- Pharmacotherapy:
 - What provider will you go to ask about medications?
 - By when will you call for an appointment?
- Mutual support group:
 - By when would you like to promise yourself that you'll go to your first meeting?
 - How many different meetings would you like to try before deciding whether to continue?
- Change plan - see the next 2 slides

18. Help set a plan, if appropriate

- Limits - Set limits for each day and/or week
- Triggers - Identify triggers that might make it hard to stick to your limits
- Trigger management - Decide in advance how you'd avoid or handle those triggers
- Alternate behaviors - Identify things to do that will help keep you away from alcohol and drugs
- Environmental change - Change things in your home, office, and car to make it easier to stick to your limits

SECURE A CONCRETE AGREEMENT

18. Help set a plan, if appropriate

- Social support - Identify people who you could support you
- Medication - Consider medication (alcohol and opioids only)
- Rewards - Establish rewards for yourself if you stick with your plan for a certain period of time
- Contingency plans - Plan what you'll do if you're about to exceed your limits
- Set follow-up - Decide when and how to meet next time

19. Briefly summarize, set follow-up if not already done, and close

Example:

John, we've covered a lot today and you committed to huge steps toward improving your health and other aspects of your life. You courageously agreed that you're dependent on alcohol. You're going to talk to your doctor here about medications to help you quit drinking, and you designed the kind of personal change plan that has helped a lot of people quit and stay quit.

May I offer two important suggestions before we say good-by?

19. Briefly summarize, set follow-up if not already done, and close

Example:

When people in the dependent category quit or cut down on their drinking, they are at risk for alcohol withdrawal. Common symptoms are:

- Shaky hands (tremor)
- Anxiety and agitation
- Difficulty sleeping
- Sweating
- Nausea and vomiting
- Headache

Alcohol withdrawal can be very dangerous. It can cause disorientation, hallucinations, seizures, and death.

If you experience any of those symptoms, seek immediate medical attention!

19. Briefly summarize, set follow-up if not already done, and close

Example:

Although medications and change plans can be very effective, they're not always effective right out of the gate. Sometimes they need to be tweaked over time. So if things don't go as you'd like, just come back and we'll work together to come up with a plan that gets you the results you want. What do you think about that?

OK, bye John. Talk to you next Friday.

Initiating Treatment Rubric - 1 of 2

Must get a “Fair” or “Good” to pass

Element	Poor	Fair	Good	Rating	Points
Introduces session	Includes fewer than 5 of: Interviewer’s name, role, session purpose, expected duration, confidentiality, autonomy, patient’s preferred name, permission seeking	Includes 5 or 6 of:	Includes 7 or 8 of:	Good	4
Asks at least one initial open question on substance use and reflects	Skips this item or executes it poorly	Asks an open question, does not reflect	Asks an open question and reflects	Good	4
Asks permission to give feedback on screening and/or brief assessment responses	Skips this item or executes it poorly	Asks half-heartedly and/or does not attend to the response	Asks genuinely and attends to the response	Good	4
Accurately identifies substance use category when giving feedback*	Skips this item or does not identify the correct category	Vaguely identifies the correct category	Clearly identifies the correct category	Good	4
Gives appropriate feedback on that category*	Feedback is omitted, very vague, incomplete, or incorrect	Feedback is vague or incomplete	Feedback is clear and detailed	Good	4
Elicits response to the feedback	Skips this item or executes it poorly	Asks unclearly, fails to wait for response, or does not accept response	Clearly asks for, waits for and accepts response	Good	4
Asks permission to make a recommendation	Skips this item or executes it poorly	Asks half-heartedly and/or does not attend to the response	Asks genuinely and attends to the response	Good	4
Gives an appropriate recommendation*	Recommendation is omitted, very vague, incomplete, or incorrect	Recommendation is vague or incomplete	Recommendation is clear with appropriate detail	Good	4
Emphasizes autonomy	Skips this item or executes it poorly	Vaguely emphasizes autonomy	Clearly emphasizes autonomy	Good	4
Elicits response to the recommendation	Skips this item or executes it poorly	Asks unclearly, fails to wait for response, or does not accept response	Clearly asks for, waits for, and accepts response	Good	4
Explores for and reinforces change talk regarding importance	Does not seek change talk on importance	Seeks change talk on importance once or twice with open questions or reflections	Seeks change talk on importance at least 3 times with open questions or reflections	Good	4
Explores for and reinforces change talk regarding confidence	Does not seek change talk on confidence	Vaguely seeks change talk on confidence	Clearly seeks change talk on confidence at least once with open questions or reflections	Good	4

Initiating Treatment Rubric - 2 of 2

Must get a “Fair” or “Good” to pass

Element	Poor	Fair	Good	Rating	Points
Summarizes and asks a key question	Skips this item or executes it poorly	Summarizes with little detail or omitting important change talk, or does not clearly ask a key question about readiness to change	Gives robust summary emphasizing change talk and clearly asks a key question about readiness to change	Good	4
Supports the decision	Skips this item or executes it poorly	Vaguely enunciates support	Clearly enunciates support	Good	4
If patient declines treatment: ^[SEP] Asks permission to offer alternatives	Skips this item or executes it poorly	Asks half-heartedly and/or does not attend to the response	Asks genuinely and attends to the response	Good	4
• Educates about alternatives	Skips this item or executes it poorly	Lacking in detail or accuracy	Covers all 3 with excellent detail and accuracy	Good	4
• Explores for and reinforces change ^[SEP] talk, summarizes, asks key question	Skips this item or executes it poorly	Omits some actions or performs some poorly	Performs all actions well	Good	4
Helps set a plan, if appropriate	Inappropriately skips this item or executes it poorly	Helps set limits	Helps set limits and offers to help with other aspects of a plan – or avoids planning if inappropriate	Good	4
Summarizes, offers follow-up and closes the session	Skips this item or includes 1 of: briefly summarize, offer follow-up, and say good-by	Includes 2 of: briefly summarize, offer follow-up, and say good-by	Includes all of: briefly summarize, offer follow-up, and say good-by	Good	4
Shows empathy and partnership and no judgment*	Shows lack of empathy or lack of partnership or judgment	Verbalizes empathy with at least 2 reflections and shows no judgment	Verbalizes empathy with at least 3 reflections and makes a statement of partnership and shows no judgment	Good	8
Avoids unwanted advice and information, warning, persuasion*	Gives unwanted advice or information, warns, or persuades twice or more	Gives unwanted advice or information, warns, or persuades once	Avoids completely	Good	8
Avoids premature planning*	Plans inappropriately with more than one question or statement	Starts to plan inappropriately with one question or statement	Avoids completely	Good	8

Practice Initiating Treatment

- Groups of 3 or 4 for the remainder of this session
- For each case, you have:
 - Information for the patient - interviewers, don't peek!
 - Information for the interviewer, including the pt's AUDIT & DAST responses
- You will rotate roles: patient, interviewer, and observer(s)
- When in role, please stay in role or call time out
- Interviewer(s) may pass or ask for help
- Use your handout as a guide

